

The World Leader in Performance Silicone Hoses 2011



Standard Elbows

Bore mm	Bore "	Wall Size	Leg Length	UK RRP £ (Exc. VAT)	UK RRP £ (Exc. VAT)	UK RRP £ (Exc. VAT)
				90° Standard	45° Standard	135° Standard
				E90	E45	E135
6.5	1/4"	4.0mm	63mm	8.83	9.51	11.29
8	5/16"	4.0mm	63mm	8.90	9.69	11.33
9.5	3/8"	4.0mm	63mm	8.96	9.75	11.35
11	7/16"	4.0mm	63mm	9.18	9.76	11.91
13	1/2"	4.0mm	102mm	9.59	10.28	12.26
16	5/8"	4.0mm	102mm	9.98	10.48	12.77
18	45/64"	4.0mm	102mm	10.41	10.97	-
19	3/4"	4.0mm	102mm	10.55	11.22	13.28
20	25/32"	4.0mm	102mm	10.57	-	-
22	7/8"	4.0mm	102mm	10.64	11.91	13.82
25	1"	4.0mm	102mm	11.91	12.65	15.28
28	1 1/8"	4.0mm	102mm	12.25	13.13	15.84
30	1 3/16"	4.0mm	102mm	12.39	13.98	16.69
32	1 1/4"	4.0mm	102mm	13.03	14.55	17.88
35	1 3/8"	4.0mm	102mm	14.33	15.39	20.15
38	1 1/2"	4.0mm	102mm	14.54	16.22	20.99
41	1 5/8"	4.0mm	102mm	15.26	16.58	21.72
45	1 3/4"	4.0mm	102mm	15.63	17.33	22.60
48	1 7/8"	4.0mm	102mm	16.91	18.48	23.33
51	2"	5.0mm	102mm	18.45	21.14	25.31
54	2 1/8"	5.0mm	102mm	19.16	21.45	26.19
57	2 1/4"	5.0mm	102mm	20.33	22.26	27.05
60	2 3/8"	5.0mm	125mm	21.02	23.23	29.16
63	2 1/2"	5.0mm	125mm	21.82	24.55	30.19
65	2 9/16"	5.0mm	125mm	22.31	25.12	31.20
68	2 11/16"	5.0mm	125mm	23.05	26.42	32.83
70	2 3/4"	5.0mm	125mm	23.76	26.98	33.25
76	3"	5.0mm	125mm	26.13	29.13	36.41
80	3 1/8"	5.0mm	125mm	26.47	32.11	38.66
83	3 1/4"	5.0mm	125mm	28.49	33.44	40.30
89	3 1/2"	6.3mm	125mm	33.71	34.60	52.92
102	4"	6.3mm	152mm	45.53	46.38	68.47

Order example...

E90 : Standard Polyester Silicone 90° Elbow **E90-51 (Classic)**
E45 : Standard Polyester Silicone 45° Elbow **E45-51 (Classic)**
E135 : Standard Polyester Silicone 135° Elbow **E135-51 (Classic)**

Colour : Matt Black
Standard Hose Max Temperature : 180°C (356°F)

The World Leader in Performance Silicone Hoses 2011



120° & 60° Standard Elbows

Bore mm	Bore "	Wall Size	Leg Length	UK RRP £ (Exc. VAT)	UK RRP £ (Exc. VAT)
				<i>60° Standard</i>	<i>120° Standard</i>
				E60	E120
6.5	1/4"	4.0mm	63mm	9.51	11.29
8	5/16"	4.0mm	63mm	9.69	11.33
9.5	3/8"	4.0mm	63mm	9.75	11.35
11	7/16"	4.0mm	63mm	9.76	11.91
13	1/2"	4.0mm	102mm	10.28	12.26
16	5/8"	4.0mm	102mm	10.48	12.77
18	45/64"	4.0mm	102mm	10.97	-
19	3/4"	4.0mm	102mm	11.22	13.28
20	25/32"	4.0mm	102mm	-	-
22	7/8"	4.0mm	102mm	11.91	13.82
25	1"	4.0mm	102mm	12.65	15.28
28	1 1/8"	4.0mm	102mm	13.13	15.84
30	1 3/16"	4.0mm	102mm	13.98	16.69
32	1 1/4"	4.0mm	102mm	14.55	17.88
35	1 3/8"	4.0mm	102mm	15.39	20.15
38	1 1/2"	4.0mm	102mm	16.22	20.99
41	1 5/8"	4.0mm	102mm	16.58	21.72
45	1 3/4"	4.0mm	102mm	17.33	22.60
48	1 7/8"	4.0mm	102mm	18.48	23.33
51	2"	5.0mm	102mm	21.14	25.31
54	2 1/8"	5.0mm	102mm	21.45	26.19
57	2 1/4"	5.0mm	102mm	22.26	27.05
60	2 3/8"	5.0mm	125mm	23.23	29.16
63	2 1/2"	5.0mm	125mm	24.55	30.19
65	2 9/16"	5.0mm	125mm	25.12	31.20
68	2 11/16"	5.0mm	125mm	26.42	32.83
70	2 3/4"	5.0mm	125mm	26.98	33.25
76	3"	5.0mm	125mm	29.13	36.41
80	3 1/8"	5.0mm	125mm	32.11	38.66
83	3 1/4"	5.0mm	125mm	33.44	40.30
89	3 1/2"	6.3mm	125mm	34.60	52.92
102	4"	6.3mm	152mm	46.38	68.47

Order example...

E60 : Standard Polyester Silicone 45° Elbow
E120 : Standard Polyester Silicone 135° Elbow

E60-51
E120-51



Colour : Matt Black
Standard Hose Max Temperature : 180°C (356°F)



Reducing Elbows

UK RRP £ (Exc. VAT) UK RRP £ (Exc. VAT)
RE90 Standard RE45 Standard

Bore > Bore mm	Bore > Bore "	Wall Size	Length	RE90	RE45
12-9	1/2" > 3/8"	4.0mm	102mm	10.30	-
16-13	5/8" > 1/2"	4.0mm	102mm	10.44	-
19-13	3/4" > 1/2"	4.0mm	102mm	10.55	-
19-16	3/4" > 5/8"	4.0mm	102mm	10.55	-
22-16	7/8" > 5/8"	4.0mm	102mm	10.76	-
22-19	7/8" > 3/4"	4.0mm	102mm	10.76	-
25-19	1" > 3/4"	4.0mm	102mm	11.91	-
32-19	1 1/4" > 3/4"	4.0mm	102mm	12.55	-
32-25	1 1/4" > 1"	4.0mm	102mm	12.55	-
32-28	1 1/4" > 1 1/8"	4.0mm	102mm	12.55	-
35-22	1 3/8" > 7/8"	4.0mm	102mm	13.58	15.39
35-25	1 3/8" > 1"	4.0mm	102mm	13.58	-
35-30	1 3/8" > 1 3/16"	4.0mm	102mm	13.58	-
35-32	1 3/8" > 1 1/4"	4.0mm	102mm	13.58	-
38-16	1 1/2" > 5/8"	4.0mm	102mm	-	16.23
38-25	1 1/2" > 1"	4.0mm	102mm	13.79	-
38-32	1 1/2" > 1 1/4"	4.0mm	102mm	13.79	-
38-35	1 1/2" > 1 3/8"	4.0mm	102mm	14.16	-
41-35	1 5/8" > 1 3/8"	4.0mm	102mm	-	16.58
42-32	1 5/8" > 1 1/2"	4.0mm	102mm	13.86	-
45-32	1 3/4" > 1 1/4"	4.0mm	102mm	14.57	-
45-35	1 3/4" > 1 3/8"	4.0mm	102mm	14.57	-
45-38	1 3/4" > 1 1/2"	4.0mm	102mm	14.92	17.33
48-30	1 7/8" > 1 3/16"	4.0mm	102mm	15.74	-
48-38	1 7/8" > 1 1/2"	4.0mm	102mm	15.74	-
51-38	2 1/4" > 1 1/2"	5.0mm	102mm	18.04	21.14
51-45	2 1/4" > 1 3/4"	5.0mm	102mm	18.04	21.14
54-48	2 1/8" > 1 7/8"	5.0mm	102mm	18.77	-
55-42	2 1/8" > 1 5/8"	5.0mm	102mm	-	21.45
57-51	2 1/4" > 2"	5.0mm	102mm	19.91	22.26
60-51	2 3/8" > 2"	5.0mm	125mm	22.75	23.23
60-55	2 3/8" > 2 1/8"	5.0mm	125mm	-	23.23
60-57	2 3/8" > 2 1/4"	5.0mm	125mm	-	23.23
63-51	2 1/2" > 2"	5.0mm	125mm	23.09	24.55
63-57	2 1/2" > 2 1/4"	5.0mm	125mm	23.09	-
65-50	2 9/16" > 2"	5.0mm	125mm	23.94	-
65-60	2 9/16" > 2 3/8"	5.0mm	125mm	23.94	25.12
70-51	2 3/4" > 2"	5.0mm	125mm	25.90	26.97
70-60	2 3/4" > 2 3/8"	5.0mm	125mm	25.90	26.97
70-63	2 3/4" > 2 1/2"	5.0mm	125mm	25.90	-
76-51	3" > 2"	5.0mm	125mm	27.97	29.13
76-60	3" > 2 3/8"	5.0mm	125mm	27.97	-
76-63	3" > 2 1/2"	5.0mm	125mm	28.54	-
76-70	3" > 2 3/4"	5.0mm	125mm	28.54	-
80-60	2 1/8" > 2 1/2"	5.0mm	152mm	30.43	-
80-70	3 1/8" > 2 3/4"	5.0mm	152mm	30.43	32.12
89-65	3 1/2" > 2 9/16"	6.3mm	152mm	41.57	-
89-76	3 1/2" > 3"	6.3mm	152mm	41.57	-
100-90	4" > 3 1/2"	6.3mm	152mm	51.65	46.38
102-76	4" > 3"	6.3mm	152mm	51.65	-

Order example:

RE90 : Standard Polyester Silicone 90° Elbow Reducer

RE90 60-51 (Classic)

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)



The World Leader in Performance Silicone Hoses 2011

Oil/Fuel Resistant* 90° Elbows



UK RRP £ (Exc. VAT)
FE90

UK RRP £ (Exc. VAT)
FE45

UK RRP £ (Exc. VAT)
FE135

Bore mm	Bore "	Wall Size	Leg Length	UK RRP £ (Exc. VAT) FE90	UK RRP £ (Exc. VAT) FE45	UK RRP £ (Exc. VAT) FE135
6.5	1/4"	4.2mm	63mm	11.13	11.13	11.13
8	5/16"	4.2mm	63mm	12.18	12.18	12.29
9.5	3/8"	4.2mm	63mm	13.13	13.13	13.40
11	7/16"	4.2mm	63mm	14.18	14.18	14.39
13	1/2"	4.2mm	102mm	15.73	15.73	15.96
16	5/8"	4.2mm	102mm	16.54	16.54	17.17
18		4.2mm	102mm	17.23	17.23	-
19	3/4"	4.2mm	102mm	17.58	17.58	18.32
20	25/32"	4.2mm	102mm	17.70	-	-
22	7/8"	4.2mm	102mm	18.46	18.46	19.90
25	1"	4.2mm	102mm	20.33	20.33	21.45
28	1 1/8"	4.2mm	102mm	21.57	21.57	22.39
30	1 3/16"	4.2mm	102mm	22.80	22.80	24.53
32	1 1/4"	4.2mm	102mm	23.38	23.38	24.85
35	1 3/8"	4.2mm	102mm	25.70	25.70	27.19
38	1 1/2"	4.2mm	102mm	26.81	26.81	29.04
41	1 5/8"	4.2mm	102mm	28.49	28.49	30.76
45	1 3/4"	4.2mm	102mm	29.88	29.88	33.78
48	1 7/8"	4.2mm	102mm	32.05	32.05	35.24
51	2"	5.2mm	102mm	35.71	35.71	38.93
54	2 1/8"	5.2mm	102mm	39.25	39.25	40.33
57	2 1/4"	5.2mm	102mm	42.08	42.08	42.95
60	2 3/8"	5.2mm	125mm	44.84	44.84	49.35
63	2 1/2"	5.2mm	125mm	47.27	47.27	52.66
65	2 9/16"	5.2mm	125mm	48.52	48.52	55.64
68	2 11/16"	5.2mm	125mm	50.89	50.89	59.12
70	2 3/4"	5.2mm	125mm	52.14	52.14	61.26
76	3"	5.2mm	125mm	56.44	56.44	68.07
80	3 1/8"	5.2mm	125mm	59.43	59.43	72.99
83	3 1/4"	5.2mm	125mm	61.86	61.86	76.82
89	3 1/2"	6.0mm	125mm	65.04	65.04	91.72
102	4"	6.0mm	152mm	75.72	75.72	111.72

Order example...

FE90-63 (Classic)

FE90 : Oil & Diesel Resistant, Fluorosilicone Lined Elbows
Designed for Oil and Diesel transfer and limited Petrol vapour.
Not for continuous petrol/fuel use & not suitable for fuel lines.
2 Year Warranty. Supplied with Black Fluorosilicone lining.

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)



The World Leader in Performance Silicone Hoses 2011

ProFuel™ - Fuel Resistant Elbows



UK RRP £ (Exc. VAT)

UK RRP £ (Exc. VAT)

UK RRP £ (Exc. VAT)

Bore mm	Bore "	Wall Size	Leg Length	PE90	PE45	PE135
6.5	1/4"	4.2mm	63mm	12.49	12.49	12.49
8	5/16"	4.2mm	63mm	13.66	13.66	13.79
9.5	3/8"	4.2mm	63mm	14.74	14.74	15.03
11	7/16"	4.2mm	63mm	15.92	15.92	16.15
13	1/2"	4.2mm	102mm	17.65	17.65	17.92
16	5/8"	4.2mm	102mm	18.56	18.56	19.26
18		4.2mm	102mm	19.33	19.33	-
19	3/4"	4.2mm	102mm	19.73	19.73	20.56
20	25/32"	4.2mm	102mm	19.86	-	-
22	7/8"	4.2mm	102mm	20.71	20.71	22.33
25	1"	4.2mm	102mm	22.80	22.80	24.06
28	1 1/8"	4.2mm	102mm	24.21	24.21	25.13
30	1 3/16"	4.2mm	102mm	25.59	25.59	27.53
32	1 1/4"	4.2mm	102mm	26.23	26.23	27.88
35	1 3/8"	4.2mm	102mm	28.84	28.84	30.50
38	1 1/2"	4.2mm	102mm	30.08	30.08	32.59
41	1 5/8"	4.2mm	102mm	31.97	31.97	34.52
45	1 3/4"	4.2mm	102mm	33.52	33.52	37.90
48	1 7/8"	4.2mm	102mm	35.96	35.96	39.54
51	2"	5.2mm	102mm	40.07	40.07	43.68
54	2 1/8"	5.2mm	102mm	44.03	44.03	45.25
57	2 1/4"	5.2mm	102mm	47.21	47.21	48.20
60	2 3/8"	5.2mm	125mm	50.31	50.31	55.37
63	2 1/2"	5.2mm	125mm	53.03	53.03	59.09
65	2 9/16"	5.2mm	125mm	54.43	54.43	62.43
68	2 11/16"	5.2mm	125mm	57.10	57.10	66.33
70	2 3/4"	5.2mm	125mm	58.51	58.51	68.74
76	3"	5.2mm	125mm	63.33	63.33	76.37
80	3 1/8"	5.2mm	125mm	66.68	66.68	81.89
83	3 1/4"	5.2mm	125mm	69.41	69.41	86.19
89	3 1/2"	6.0mm	125mm	72.98	72.98	102.93
102	4"	6.0mm	152mm	84.96	84.96	125.35

Order example... PE90-63

PE90 : Fuel Resistant - ProFuel™ SHL :
The World's first Performance Silicone hose for permanent fuel use. Suitable for transport of Petroleum & Diesel Fuels –can be used for fuel lines, delivery, filler and breathers. Also Available on most race parts. 2 Year Warranty. Supplied with ProFuel™ green lining.

Colour : Matt Black
Standard Hose Max Temperature : 180°C (356°F)



The World Leader in Performance Silicone Hoses 2011



Straight Hose x 1m (3'3") long

Bore mm	Bore "	Wall Size	UK RRP £ (Exc. VAT)	UK RRP £ (Exc. VAT)	UK RRP £ (Exc. VAT)	UK RRP £ (Exc. VAT)
			STANDARD SHL	HIGH-TEMP' TCH	FLOUROLINED FSHL	ProFuel PSHL
6.5	1/4"	3.9mm	16.70	21.21	33.93	38.07
8	5/16"	3.9mm	17.85	22.24	36.66	41.14
9.5	3/8"	3.9mm	18.58	22.89	45.24	50.76
11	7/16"	3.9mm	19.92	24.02	46.83	52.53
13	1/2"	3.9mm	20.99	26.80	51.24	57.50
16	5/8"	3.9mm	22.68	32.66	55.96	62.78
18	45/64"	3.9mm	23.10	34.26	59.28	66.52
19	3/4"	3.9mm	23.84	35.35	61.17	68.63
20	25/32"	3.9mm	24.41	36.20	62.64	70.29
22	7/8"	3.9mm	25.07	40.14	64.12	71.96
25	1"	3.9mm	27.43	46.60	68.63	77.00
28	1 1/8"	3.9mm	28.64	48.06	73.20	82.12
30	1 3/16"	3.9mm	29.80	49.67	78.51	88.09
32	1 1/4"	3.9mm	30.83	50.69	80.41	90.22
35	1 3/8"	3.9mm	34.09	54.19	86.37	96.90
38	1 1/2"	3.9mm	35.63	57.67	89.95	100.92
41	1 5/8"	3.9mm	37.78	69.07	94.50	106.02
45	1 3/4"	3.9mm	40.28	72.43	102.03	114.47
48	1 7/8"	3.9mm	42.39	75.29	107.69	120.82
51	2"	5.2mm	45.31	78.06	110.86	124.38
54	2 1/8"	5.2mm	47.44	80.62	117.91	132.30
57	2 1/4"	5.2mm	48.27	83.19	123.43	138.49
60	2 3/8"	5.2mm	49.86	85.72	131.88	147.97
63	2 1/2"	5.2mm	52.26	88.22	137.53	154.31
65	2 9/16"	5.2mm	53.59	102.75	141.81	159.11
68	2 11/16"	5.2mm	55.43	106.57	147.46	165.45
70	2 3/4"	5.2mm	56.94	108.12	152.01	170.55
76	3"	5.2mm	60.78	115.64	163.30	183.22
80	3 1/8"	5.2mm	62.27	119.23	171.88	192.86
83	3 1/4"	5.2mm	63.89	122.90	177.53	199.19
89	3 1/2"	6.5mm	83.29	127.91	204.38	229.31
102	4"	6.5mm	94.50	141.21	231.12	259.31
110	4 1/3"	6.5mm	101.33	151.50	251.54	282.22
114	4 1/2"	6.5mm	104.39	157.02	268.67	301.45
127	5"	6.5mm	116.12	173.22	323.30	362.74
152	6"	6.5mm	137.05	204.82	357.25	400.83
200	8"	6.5mm	179.15	265.64	457.30	513.08

Order example...

SHL : Standard Polyester Silicone : **SHL6.5**
TCH : High Temperature Aramid/Silicone : **TCH6.5**
FSHL : Oil & Diesel Resistant - Fluorolined SHL **FSHL6.5**

Designed for Oil and Diesel transfer and limited Petrol vapour. Not for continuous petrol/fuel use & not suitable for fuel lines. 2 Year Warranty. Supplied with Black Fluorosilicone lining.

PSHL : Fuel Resistant - ProFuel™ SHL : **PSHL6.6**

The World's first Performance Silicone hose for permanent fuel use. Suitable for transport of Petroleum & Diesel Fuels –can be used for fuel lines, delivery, filler and breathers. Also Available on most race parts. 2 Year Warranty. Supplied with ProFuel™ green lining.

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)

TCH Hose Max Temperature : 250°C (482°F)

Superflex Hose x 1m (3'3") long



Bore mm	Bore "	Wall Size	UK £ RRP (Exc VAT)
6.5	1/4"	3.5mm	24.33
8	5/16"	3.5mm	25.93
9.5	3/8"	3.5mm	27.47
11	7/16"	3.5mm	28.91
13	1/2"	3.5mm	31.31
16	5/8"	3.5mm	33.66
18	45/64"	3.5mm	34.21
19	3/4"	3.5mm	35.29
20	25/32"	3.5mm	35.55
22	7/8"	3.5mm	36.86
25	1"	3.5mm	37.93
28	1 1/8"	3.5mm	38.95
30	1 3/16"	3.5mm	40.88
32	1 1/4"	3.5mm	42.80
35	1 3/8"	3.5mm	45.20
38	1 1/2"	3.5mm	48.10
41	1 5/8"	3.5mm	50.40
45	1 3/4"	3.5mm	53.54
48	1 7/8"	3.5mm	55.68
51	2"	3.5mm	65.22

Order example...

SFL : Standard Polyester Silicone **SFL6.5 (Classic)**

3 ply polyester reinforced silicone with a wire helix
buried within the plies for flexibility

Colour : Matt Matt Black

Standard Hose Max Temperature : 180°C (356°F)

Xtraflex Hose x 1m (3'3") long



Bore mm	Bore "	Wall Size	UK £ RRP (Exc VAT)
6.5	1/4"	3.5mm	26.77
8	5/16"	3.5mm	28.53
9.5	3/8"	3.5mm	30.22
11	7/16"	3.5mm	31.80
13	1/2"	3.5mm	34.44
16	5/8"	3.5mm	37.03
18	45/64"	3.5mm	37.63
19	3/4"	3.5mm	38.82
20	25/32"	3.5mm	39.26
22	7/8"	3.5mm	40.55
25	1"	3.5mm	41.72
28	1 1/8"	3.5mm	42.85
30	1 3/16"	3.5mm	45.04
32	1 1/4"	3.5mm	47.08
35	1 3/8"	3.5mm	49.71
38	1 1/2"	3.5mm	52.91
41	1 5/8"	3.5mm	55.44
45	1 3/4"	3.5mm	58.90
48	1 7/8"	3.5mm	61.25
51	2"	3.5mm	71.74

Order example...

XFL : Standard Polyester Silicone **XFL6.5 (Classic)**

3 ply polyester reinforced silicone with a wire helix
buried within the plies for ultimate flexibility

Colour : Ma' Matt Black

Standard Hose Max Temperature : 180°C (356°F)

The World Leader in Performance Silicone Hoses 2011



Straight Reducer

				UK RRP £ (Exc. VAT)
<i>Bore > Bore mm</i>	<i>Bore > Bore "</i>	<i>Wall Size</i>	<i>Length</i>	SR
12-8	1/2" > 5/16"	4.0mm	102mm	7.79
12.7-9.5	1/2" > 3/8"	4.0mm	102mm	7.92
16-13	5/8" > 1/2"	4.0mm	102mm	8.19
19-13	3/4" > 1/2"	4.0mm	102mm	8.21
19-16	3/4" > 5/8"	4.0mm	102mm	8.21
22-16	7/8" > 5/8"	4.0mm	102mm	8.56
22-19	7/8" > 3/4"	4.0mm	102mm	8.56
25-16	1" > 5/8"	4.0mm	102mm	8.69
25-19	1" > 3/4"	4.0mm	102mm	8.69
25-22	1" > 7/8"	4.0mm	102mm	8.69
28-22	1 1/8" > 7/8"	4.0mm	102mm	8.86
28-25	1 1/8" > 1"	4.0mm	102mm	8.86
32-19	1 1/4" > 3/4"	4.0mm	102mm	10.48
32-25	1 1/4" > 1"	4.0mm	102mm	10.48
32-28	1 1/4" > 1 1/8"	4.0mm	102mm	10.48
35-25	1 3/8" > 1"	4.0mm	102mm	11.09
35-28	1 3/8" > 1 1/8"	4.0mm	102mm	11.09
35-32	1 3/8" > 1 1/4"	4.0mm	102mm	11.09
38-22	1 1/2" > 7/8"	4.0mm	102mm	11.25
38-25	1 1/2" > 1"	4.0mm	102mm	11.25
38-28	1 1/2" > 1 1/8"	4.0mm	102mm	11.25
38-32	1 1/2" > 1 1/4"	4.0mm	102mm	11.25
38-35	1 1/2" > 1 3/8"	4.0mm	102mm	11.25
40-35	1 5/8" > 1 3/8"	4.0mm	102mm	11.40
41-38	1 5/8" > 1 1/2"	4.0mm	102mm	11.45
45-32	1 3/4" > 1 1/4"	4.0mm	102mm	11.66
45-38	1 3/4" > 1 1/2"	4.0mm	102mm	11.66
51-38	2" > 1 1/2"	5.0mm	102mm	14.40
51-45	2" > 1 3/4"	5.0mm	102mm	14.59
54-51	2 1/8" > 2"	5.0mm	102mm	14.72
57-51	2 1/4" > 2"	5.0mm	102mm	15.02
60-50	2 3/8" > 2"	5.0mm	125mm	15.16
63-51	2 1/2" > 2"	5.0mm	125mm	15.33
63-57	2 1/2" > 2 1/4"	5.0mm	125mm	15.33
63-60	2 1/2" > 2 3/8"	5.0mm	125mm	15.33
65-60	2 9/16" > 2 3/8"	5.0mm	125mm	15.53
70-50	2 3/4" > 2"	5.0mm	125mm	16.20
70-57	2 3/4" > 2 1/4"	5.0mm	125mm	16.35
70-60	2 3/4" > 2 3/8"	5.0mm	125mm	16.53
70-63	2 3/4" > 2 1/2"	5.0mm	125mm	16.53
76-51	3" > 2"	5.0mm	125mm	17.09
76-57	3" > 2 1/4"	5.0mm	125mm	17.26
76-60	3" > 2 3/8"	5.0mm	125mm	17.26
76-63	3" > 2 1/2"	5.0mm	125mm	17.40
76-67	3" > 2 5/8"	5.0mm	125mm	17.72
76-70	3" > 2 3/4"	5.0mm	125mm	17.72
80-51	3 1/8" > 2"	5.0mm	125mm	17.96
80-65	3 1/8" > 2 9/16"	5.0mm	125mm	17.96
80-70	3 1/8" > 2 3/4"	5.0mm	125mm	17.96
80-76	3 1/8" > 3"	5.0mm	125mm	17.96
83-76	3 1/4" > 3"	5.0mm	125mm	18.54
89-63	3 1/2" > 2 1/2"	6.3mm	125mm	23.06
89-76	3 1/2" > 3"	6.3mm	125mm	23.06
90-80	3 1/2" > 3 1/8"	6.3mm	125mm	23.21
102-76	4" > 3"	6.3mm	152mm	28.62
102-83	4" > 3 1/4"	6.3mm	152mm	28.62
102-89	4" > 3 1/2"	6.3mm	152mm	28.62
127-100	5" > 4"	6.3mm	152mm	32.68

SR : Standard Polyester Silicone Straight Reducer

Order example...
SR-51-38 (Classic)

Colour : Matt Black
Standard Hose Max Temperature : 180°C (356°F)



Straight Coupling Hose

UK RRP £ (Exc. VAT)

Bore mm	Bore "	Wall Size	Length	Part Code	SCH
51	2"	5.2mm	76mm	SCH51	5.11
54	2 1/8"	5.2mm	76mm	SCH54	5.39
57	2 1/4"	5.2mm	76mm	SCH57	5.45
60	2 3/8"	5.2mm	76mm	SCH60	5.57
63	2 1/2"	5.2mm	76mm	SCH63	5.76
65	2 9/16"	5.2mm	76mm	SCH65	5.98
68	2 11/16"	5.2mm	76mm	SCH68	6.22
70	2 3/4"	5.2mm	76mm	SCH70	6.22
76	3"	5.2mm	76mm	SCH76	6.52
80	3 1/8"	5.2mm	76mm	SCH80	6.64
83	3 1/4"	5.2mm	76mm	SCH83	6.76
89	3 1/2"	6.5mm	76mm	SCH89	7.95
102	4"	6.5mm	76mm	SCH102	8.67
110	4 1/3"	6.5mm	76mm	SCH110	9.20

SCH : Standard Polyester Silicone :

Order example...
SCH51 (Classic)

Colour : Matt Black
Standard Hose Max Temperature : 180°C (356°F)

Straight Hump Hose



UK RRP £ (Exc. VAT)

Bore mm	Bore "	Wall Size	Length	Part Code	SHH
45	1 3/4"	5.0mm	76mm	SHH45	11.37
50	2 "	5.0mm	76mm	SHH50	11.82
60	2 3/8"	5.0mm	76mm	SHH60	12.83
63	2 1/2"	5.0mm	76mm	SHH63	13.00
70	2 3/4"	5.0mm	76mm	SHH70	13.70
76	3"	5.0mm	76mm	SHH76	14.29
80	3 1/8"	5.0mm	76mm	SHH80	15.05
90	3 1/2"	6.3mm	76mm	SHH90	18.72
100	4"	6.3mm	76mm	SHH100	20.41

SHH : Standard Polyester Silicone :

Order example...
SHH60 (Classic)

Colour : Matt Black
Standard Hose Max Temperature : 180°C (356°F)



Silicone T-Piece

Bore mm	Bore "	Wall Size	Length	STP	UK RRP £ (Exc. VAT)
38	1 1/2"	4.0mm	102mm (Spout 25mm)	STP38	21.42
45	1 5/8"	4.0mm	102mm (Spout 25mm)	STP45	23.51
51	2"	5.0mm	102mm (Spout 25mm)	STP51	26.60
54	2 1/6"	5.0mm	102mm (Spout 25mm)	STP55	27.51
60	2 3/8"	5.0mm	102mm (Spout 25mm)	STP60	29.34
63	2 1/2"	5.0mm	102mm (Spout 25mm)	STP63	30.25
70	2 3/4"	5.0mm	102mm (Spout 25mm)	STP70	32.35
76	3"	5.0mm	102mm (Spout 25mm)	STP76	34.18

STP Standard Polyester Silicone :

Order example...**STP38 (Classic)**

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)

180° Elbows ('U' Shape Hose)



Bore mm	Bore "	Leg Length	Center line distance	E180	UK RRP £ (Exc. VAT)
16	5/8"	76mm	48 mm	E180-16	13.08
19	3/4"	76mm	58 mm	E180-19	13.85
22	7/8"	76mm	66 mm	E180-22	14.41
25	1"	102mm	76 mm	E180-25	14.89
28	1 1/8"	102mm	86 mm	E180-28	15.77
32	1 1/4"	102mm	96 mm	E180-32	17.11
35	1 3/8"	102mm	106 mm	E180-35	17.96
38	1 1/2"	102mm	114 mm	E180-38	19.08
45	1 3/4"	102mm	136 mm	E180-45	22.68
51	2"	127mm	152 mm	E180-51	32.21
57	2 1/4"	127mm	170 mm	E180-57	35.25
60	2 3/8"	127mm	180 mm	E180-60	36.55
63	2 1/2"	127mm	190 mm	E180-63	38.30
70	2 3/4"	127mm	210 mm	E180-70	41.94
76	3"	140mm	228 mm	E180-76	45.99

E180 Standard Polyester Silicone elbow :

Order example...**E180-16 (Classic)**

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)

The World Leader in Performance Silicone Hoses 2011



Straight Coupling Hose - New Aramid Construction

UK RRP £ (Exc. VAT)
76mm LONG

<i>Bore mm</i>	<i>Bore "</i>	<i>Wall Size</i>	<i>Length</i>	<i>Plies</i>	<i>Part Code</i>	<i>XSCH</i>
51mm	2"	4mm	76mm	4	XSCH51	£5.50
54mm	2 1/8"	4mm	76mm	4	XSCH54	£5.69
57mm	2 1/4"	4mm	76mm	4	XSCH57	£5.92
60mm	2 3/8"	4mm	76mm	4	XSCH60	£6.15
63mm	2 1/2"	4mm	76mm	4	XSCH63	£6.34
65mm	2 9/16"	4mm	76mm	4	XSCH65	£6.50
68mm	2 11/16"	4mm	76mm	4	XSCH68	£6.64
70mm	2 3/4"	4mm	76mm	4	XSCH70	£6.82
76mm	3"	4mm	76mm	4	XSCH76	£7.21
80mm	3 1/8"	4mm	76mm	4	XSCH80	£7.49
83mm	3 1/4"	4mm	76mm	4	XSCH83	£7.69
89mm	3 1/2"	4mm	76mm	4	XSCH89	£8.20
102mm	4"	4mm	76mm	4	XSCH102	£9.03

Order example... XSCH51 (Classic)

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)



The World Leader in Performance Silicone Hoses 2011

Straight Hump Hose - New Thinner Construction

UK RRP £ (Exc. VAT)
76mm LONG

<i>Bore mm</i>	<i>Bore "</i>	<i>Wall Size</i>	<i>Length</i>	<i>Plies</i>	<i>Part Code</i>	<i>XSHH</i>
50mm	2"	4mm	76mm	4	XSHH50	£12.79
60mm	2 3/8"	4mm	76mm	4	XSHH60	£14.10
63mm	2 1/2"	4mm	76mm	4	XSHH63	£14.31
70mm	2 3/4"	4mm	76mm	4	XSHH70	£14.38
76mm	3"	4mm	76mm	4	XSHH76	£15.02
80mm	3 1/8"	4mm	76mm	4	XSHH80	£15.48
90mm	3 1/2"	4mm	76mm	4	XSHH90	£19.55
100mm	4"	4mm	76mm	4	XSHH100	£22.00

Order example... XSHH60 (Classic)

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)



Straight Reducer - New Aramid Construction

UK RRP £ (Exc. VAT)

76mm LONG

Bore > Bore mm	Bore > Bore "	Wall Size	Length	Plies	Part Code	XSR
51mm > 38mm	2" > 1 1/2"	4.0mm	76mm	4	XSR51-38	£14.84
51mm > 45mm	2" > 1 3/4"	4.0mm	76mm	4	XSR51-45	£14.84
54mm > 51mm	2 1/8" > 2"	4.0mm	76mm	4	XSR54-51	£15.02
57mm > 51mm	2 1/4" > 2"	4.0mm	76mm	4	XSR57-51	£15.24
60mm > 51mm	2 3/8" > 2"	4.0mm	76mm	4	XSR60-51	£15.44
63mm > 51mm	2 1/2" > 2"	4.0mm	76mm	4	XSR63-51	£15.64
63mm > 57mm	2 1/2" > 2 1/4"	4.0mm	76mm	4	XSR63-57	£15.64
63mm > 60mm	2 1/2" > 2 3/8"	4.0mm	76mm	4	XSR63-60	£15.64
65mm > 60mm	2 9/16" > 2 3/8"	4.0mm	76mm	4	XSR65-60	£15.84
70mm > 51mm	2 3/4" > 2"	4.0mm	76mm	4	XSR70-51	£16.15
70mm > 57mm	2 3/4" > 2 1/4"	4.0mm	76mm	4	XSR70-57	£16.05
70mm > 60mm	2 3/4" > 2 3/8"	4.0mm	76mm	4	XSR70-60	£16.15
70mm > 63mm	2 3/4" > 2 1/2"	4.0mm	76mm	4	XSR70-63	£16.15
76mm > 51mm	3" > 2"	4.0mm	76mm	4	XSR76-51	£16.55
76mm > 57mm	3" > 2 1/4"	4.0mm	76mm	4	XSR76-57	£16.55
76mm > 60mm	3" > 2 3/8"	4.0mm	76mm	4	XSR76-60	£16.55
76mm > 63mm	3" > 2 1/2"	4.0mm	76mm	4	XSR76-63	£16.55
76mm > 67mm	3" > 2 5/8"	4.0mm	76mm	4	XSR76-67	£16.55
76mm > 70mm	3" > 2 3/4"	4.0mm	76mm	4	XSR76-70	£16.55
80mm > 51mm	3 1/8" > 2"	4.0mm	76mm	4	XSR80-51	£16.82
80mm > 65mm	3 1/8" > 2 9/16"	4.0mm	76mm	4	XSR80-65	£16.82
80mm > 70mm	3 1/8" > 2 3/4"	4.0mm	76mm	4	XSR80-70	£16.82
80mm > 76mm	3 1/8" > 3"	4.0mm	76mm	4	XSR80-76	£16.82
89mm > 63mm	3 1/2" > 2 1/2"	4.0mm	76mm	4	XSR89-63	£21.34
89mm > 76mm	3 1/2" > 3"	4.0mm	76mm	4	XSR89-76	£21.34
89mm > 80mm	3 1/2" > 3 1/8"	4.0mm	76mm	4	XSR89-80	£21.34
102mm > 76mm	4" > 3"	4.0mm	76mm	4	XSR102-76	£26.57
102mm > 83mm	4" > 3 1/4"	4.0mm	76mm	4	XSR102-83	£26.57
102mm > 89mm	4" > 3 1/2"	4.0mm	76mm	4	XSR102-89	£26.57

Order example... XSR-51-38 (Classic)

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)

The World Leader in Performance Silicone Hoses 2011

Charge Air Cooler Hose - New Aramid Construction

UK RRP £ (Exc. VAT)

127mm LONG

Bore mm	Bore "	Wall Size	Length	Plies	Part Code	XCAC
51mm	2"	4mm	125mm	4	XCAC51	£23.06
57mm	2 1/4"	4mm	125mm	4	XCAC57	£24.16
60mm	2 3/8"	4mm	125mm	4	XCAC60	£24.68
63mm	2 1/2"	4mm	125mm	4	XCAC63	£25.22
70mm	2 3/4"	4mm	125mm	4	XCAC70	£27.93
76mm	3"	4mm	125mm	4	XCAC76	£29.26
80mm	3 1/8"	4mm	125mm	4	XCAC80	£30.96
89mm	3 1/2"	4mm	125mm	4	XCAC89	£33.79
102mm	4"	4mm	125mm	4	XCAC102	£37.85

Order example... XCAC51 (Classic)

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)



Elbow Reducer - Aramid Construction RE90 & RE45

Bore mm	Bore "	Wall Size	Leg Lengths	Plies	Part Code	UK £ RRP EXC VAT	
						XRE90	XRE45
51mm > 38mm	2" > 1 1/2"	4mm	102 x 102mm	4	XRE90 51-38	£20.60	£23.06
51mm > 45mm	2" > 1 3/4"	4mm	102 x 102mm	4	XRE90 51-45	£20.60	£23.06
54mm > 48mm	2 1/8" > 1 7/8"	4mm	102 x 102mm	4	XRE90 54-48	£20.92	-
55mm > 42mm	2 1/8" > 1 5/8"	4mm	102 x 102mm	4	-	-	£23.36
57mm > 51mm	2 1/4" > 2"	4mm	102 x 102mm	4	XRE90 57-51	£21.67	£24.18
60mm > 51mm	2 3/8" > 2"	4mm	127 x 127mm	4	XRE90 60-51	£23.84	£26.37
60mm > 55mm	2 3/8" > 2 1/8"	4mm	127 x 127mm	4	-	-	£26.37
60mm > 57mm	2 3/8" > 2 1/4"	4mm	127 x 127mm	4	-	-	£26.37
63mm > 51mm	2 1/2" > 2"	4mm	127 x 127mm	4	XRE90 63-51	£24.38	£26.92
63mm > 57mm	2 1/2" > 2 1/4"	4mm	127 x 127mm	4	XRE90 63-57	£24.38	-
65mm > 50mm	2 9/16" > 2"	4mm	127 x 127mm	4	XRE90 65-50	£24.44	-
65mm > 60mm	2 9/16" > 2 3/8"	4mm	127 x 127mm	4	XRE90 65-60	£24.44	£28.01
70mm > 51mm	2 3/4" > 2"	4mm	127 x 127mm	4	XRE90 70-51	£26.74	£28.83
70mm > 60mm	2 3/4" > 2 3/8"	4mm	127 x 127mm	4	XRE90 70-60	£26.74	£28.83
70mm > 63mm	2 3/4" > 2 1/2"	4mm	127 x 127mm	4	XRE90 70-63	£26.74	-
76mm > 51mm	3" > 2"	4mm	127 x 127mm	4	XRE90 76-51	£29.81	£32.89
76mm > 60mm	3" > 2 3/8"	4mm	127 x 127mm	4	XRE90 76-60	£29.81	-
76mm > 63mm	3" > 2 1/2"	4mm	127 x 127mm	4	XRE90 76-63	£29.81	£32.89
76mm > 70mm	3" > 2 3/4"	4mm	127 x 127mm	4	XRE90 76-70	£29.81	-
80mm > 60mm	3 1/8" > 2 3/8"	4mm	127 x 127mm	4	XRE90 80-60	£30.59	-
80mm > 70mm	3 1/8" > 2 3/4"	4mm	127 x 127mm	4	XRE90 80-70	£30.59	£36.59
80mm > 76mm	3 1/8" > 3"	4mm	127 x 127mm	4	XRE90 80-76	£30.59	-
89mm > 76mm	3 1/2" > 3"	4mm	127 x 127mm	4	XRE90 89-76	£38.56	-
100mm > 90mm	4" > 3 1/2"	4mm	152 x 152mm	4	XRE90 100-90	£51.14	£53.28
102mm > 76mm	4" > 3"	4mm	152 x 152mm	4	XRE90 102-76	£51.14	-

Order example... XRE90-63-51 (Classic)

Colour : Matt Black
Standard Hose Max Temperature : 180°C (356°F)



Elbow Hose - New Aramid Construction E90 & E45 Only

Bore mm	Bore "	Wall Size	Leg Lengths	Plies	Part Code 90°	UK £ RRP EXC VAT	
						XE90	XE45
51mm	2"	4mm	102 x 102mm	4	XE90-51	£20.60	£23.06
54mm	2 1/8"	4mm	102 x 102mm	4	XE90-54	£20.92	£23.36
57mm	2 1/4"	4mm	102 x 102mm	4	XE90-57	£21.67	£24.18
60mm	2 3/8"	4mm	127 x 127mm	4	XE90-60	£23.84	£26.37
63mm	2 1/2"	4mm	127 x 127mm	4	XE90-63	£24.38	£26.92
65mm	2 9/16"	4mm	127 x 127mm	4	XE90-65	£24.44	£28.01
68mm	2 11/16"	4mm	127 x 127mm	4	XE90-68	£25.20	£28.29
70mm	2 3/4"	4mm	127 x 127mm	4	XE90-70	£26.74	£28.83
76mm	3"	4mm	127 x 127mm	4	XE90-76	£29.81	£32.89
80mm	3 1/8"	4mm	127 x 127mm	4	XE90-80	£30.59	£36.59
83mm	3 1/4"	4mm	127 x 127mm	4	XE90-83	£31.81	£38.03
89mm	3 1/2"	4mm	127 x 127mm	4	XE90-89	£38.56	£39.30
102mm	4"	4mm	152 x 152mm	4	XE90-102	£51.14	£53.28

Order example... XE90-51 (Classic)

Colour : Matt Black
Standard Hose Max Temperature : 180°C (356°F)

The World Leader in Performance Silicone Hoses 2011



Straight 1m Length - New Aramid Construction

UK £ RRP EXC VAT

1m LONG

Bore mm	Bore "	Wall Size	Length	Plies	Part Code	XSHL
6.5mm	1/4"	4mm	1m	4	XSHL6.5	£16.91
8mm	5/16"	4mm	1m	4	XSHL8	£17.97
9.5mm	3/8"	4mm	1m	4	XSHL9.5	£18.98
11mm	7/16"	4mm	1m	4	XSHL11	£20.59
12.7mm	1/2"	4mm	1m	4	XSHL12.7	£22.74
16mm	5/8"	4mm	1m	4	XSHL16	£25.94
18mm	45/64"	4mm	1m	4	XSHL18	£28.78
19mm	3/4"	4mm	1m	4	XSHL19	£30.20
20mm	25/32"	4mm	1m	4	XSHL20	£31.28
22mm	7/8"	4mm	1m	4	XSHL22	£33.41
25mm	1"	4mm	1m	4	XSHL25	£36.62
28mm	1 1/8"	4mm	1m	4	XSHL28	£39.82
30mm	1 3/16"	4mm	1m	4	XSHL30	£43.01
32mm	1 1/4"	4mm	1m	4	XSHL32	£45.15
35mm	1 3/8"	4mm	1m	4	XSHL35	£48.37
38mm	1 1/2"	4mm	1m	4	XSHL38	£51.59
41mm	1 5/8"	4mm	1m	4	XSHL41	£54.79
45mm	1 3/4"	4mm	1m	4	XSHL45	£59.09
48mm	1 7/8"	4mm	1m	4	XSHL48	£62.28
51mm	2"	4mm	1m	4	XSHL51	£65.86
54mm	2 1/8"	4mm	1m	4	XSHL54	£68.41
57mm	2 1/4"	4mm	1m	4	XSHL57	£71.23
60mm	2 3/8"	4mm	1m	4	XSHL60	£74.21
63mm	2 1/2"	4mm	1m	4	XSHL63	£76.76
65mm	2 9/16"	4mm	1m	4	XSHL65	£78.74
68mm	2 11/16"	4mm	1m	4	XSHL68	£80.56
70mm	2 3/4"	4mm	1m	4	XSHL70	£82.98
76mm	3"	4mm	1m	4	XSHL76	£88.08
80mm	3 1/8"	4mm	1m	4	XSHL80	£91.75
83mm	3 1/4"	4mm	1m	4	XSHL83	£94.29
89mm	3 1/2"	4mm	1m	4	XSHL89	£101.07
102mm	4"	4mm	1m	4	XSHL102	£111.65
110mm	4 5/16"	4mm	1m	4	XSHL110	£121.68
114mm	4 1/2"	4mm	1m	4	XSHL114	£125.38
127mm	5"	4mm	1m	4	XSHL127	£139.00
152mm	6"	4mm	1m	4	XSHL152	£163.28
200mm	8"	4mm	1m	4	XSHL200	£210.23

Order example... XSHL51 (Classic)

Colour : Matt Black

Standard Hose Max Temperature : 180°C (356°F)